

Correction

Sreeramulu Nagubandi, Rajiv Kumar, James M. Londowski, R. A. Corradino, and Pamela S. Tietz.
The Journal of Clinical Investigation, Vol. 66, No. 6, December 1980.

Page 1278, in Table IV the units for 25-hydroxyvitamin D were incorrectly given as nanograms per deciliter instead of nanograms per milliliter. The corrected Table IV is printed below.

TABLE IV
*Serum 25-Hydroxyvitamin D Levels in
Vitamin D-deficient Rats*

	Dose administered	25-Hydroxyvitamin D*
	<i>pmol</i>	<i>ng/ml</i>
Control	—	4.18±2.65
Vitamin D ₃	1,040	12.65±2.05
	2,600	17.95±0.75
	52,000	72.76±8.85
Vitamin D ₃ glucosiduronate	1,040	8.83±0.66
	2,600	9.29±0.69
	52,000	26.05±2.01

Rats were fed with vitamin D-deficient low calcium diets for 4 wk. Rats were dosed with various doses of vitamin D₃ or vitamin D₃ 3 β -glucosiduronate intrajugularly. 24 h later, the blood was collected. Serum 25-hydroxyvitamin D levels were determined in duplicate or triplicate.

* Mean±SE.